



State of Ohio Environmental Protection Agency

Southeast District Office

2195 Front Street
Logan, Ohio 43138

TELE: (740) 385-8501 FAX: (740) 385-6490
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

December 31, 2008

Re: Belmont County
American Energy Corp., Century Mine
Notice of Violation
01L00091*GD
Correspondence (IWW)

Mr. Ryan Murray
American Energy Corp., Century Mine
43521 Mayhugh Hill Road
Beallsville, Ohio 43716

Dear Mr. Murray:

We have received your self-monitoring reports covering the months of July through September 2008 for the referenced facility. Our review indicates violations of the conditions of your NPDES permit. The specific instances of noncompliance and/or deficiencies are as follows:

Outfall	Parameter	Type	Limit	Units	Reported	Date
<i>July 2008:</i>						
017	Fecal Coliform	30D Conc	1000	#/100 ml	22000	7/1/2008
017	Fecal Coliform	1D Conc	2000	#/100 ml	22000	7/9/2008

NOTES: 1D Conc = Daily Average Concentration Value
1D Qty = Daily Average Loading Value
7D Conc = Weekly Average Concentration Value
7D Qty = Weekly Average Loading Value
30D Conc = Monthly Average Concentration Value
30D Qty = Monthly Average Loading Value

Please be advised that failure to comply with the effluent limitations or to satisfy the monitoring or reporting requirements of your NPDES permit may be cause for enforcement action pursuant to the Ohio Revised Code Chapter 6111.

Failure to report violations of the effluent limitations is also a violation of your NPDES permit. Please review Part 3 of the NPDES permit for reporting requirements.